

# MP66-3

## MOTORPUMPE - SCHMUTZWASSER




Eine Wasserpumpe für viele Situationen, wenn es darum geht, große Mengen an Wasser schnell und effizient zu befördern.

### Hauptmerkmale

Typ	Schmutzwasser	
Max. Förderhöhe	m	8
Max. Förderlänge	m	27
Förderleistung	l/min	1340

### Leistungskurve

Graph



### Motorspezifikationen

Motor Hersteller		Honda
Anzahl der Zylinder und Anordnung		1 inclination angle
Hubraum	cm <sup>3</sup>	242
Kraftstoff		Benzin
Anlass System		Handstart



### Pumpen Spezifikation

Hersteller		KOSHIN
Eingangsschlauch Durchmesser	'	3
Abgangsrohr Durchmesser	'	3
max. Stoffgröße	mm	27



### Maßangaben

Länge	(L) mm	690
Breite	(W) mm	485
Höhe	(H) mm	537
Leergewicht	Kg	59

### Kraftstoffverbrauch, Laufzeit, Schallpegel

Tankinhalt	l	5.3
Laufzeit	h	2.4
Schallpegel in 7m	dB(A)	83
Garantierter Schallpegel (LWA)	dB(A)	110

### Ausstattungen

Saugkorb	n°	1
Kupplungs Set	n°	2
Schlauchschelle	n°	3
Spezialwerkzeug für die Pumpe		Standard
Zündkerzen Werkzeug		Standard
Öl Wächter		Standard



### Zubehör

Eingangsschlauch Durchmesser - Länge 8m		3"
Eingangsschlauch Durchmesser - Länge 25m		3"
Abgangsrohr - Länge 10m		3"
Abgangsrohr - Länge 50m		3"
Abgangsrohr - Länge 100m		3"



The information is aligned with the Data file at the time of download. Printed on 23/11/2023 (ID 699)

©2023 | PR Industrial S.r.L unipersonale – Loc. Il Piano – 53031 Casole d'Elsa (SI) – ITALY. Company subject to the management and coordination of Generac Power Systems Inc. | All rights reserved | Image shown may not reflect actual package. Specifications subject to change without notice

